

# Quotation

SQDRQ000368-1

**Job Name:** HALLIDAY ENTRY

**Quote Date:** 12/09/2021

**Manufacturer's Estimated Lead Time:**

21-22 Weeks

**Account Manager:** David Canton

## Dealer

Ervin Architectural Products  
1255 Carolina Rd  
Suffolk, VA 23434

## Customer

Line	Label	Qty	UOM	Description	Unit	Extended
1	DR1-ENTRY	1		TMIR6001 Door Style, TM6000 Right Sidelite, ES102 Configuration	\$9,486.63	\$9,486.63

\*\*\*DOOR\*\*\*

Unit Style = TMIR6001  
Dimensions = 35 13/16" x 96"  
Thickness = 1-3/4"  
Leaf Count = Single  
Handing = LH  
Beveling = Bevel Lock Side  
Material = Paint Grade Mahogany  
Door Construction = TruStile Reserve  
Sticking = 14Kerf  
Veneer Thickness = 1/16  
Veneer Grain Direction = Horizontal Grain  
Prefinish = Premium Prime  
Layout Configuration = Reverse  
Drip Trim = Metal (Pemko 3452)  
Drip Trim Finish = Dark Bronze

\*\*\*\*\*Door Machining Details\*\*\*\*\*

Machine Prep = TruStile Modified Configuration  
Machine Prep = Hinges, Three Point Lock

Hinges = TruStile Installed  
Hinges = Modified Ball Bearing Hinges  
Hinges = Brand: TruStile  
Hinges = Qty: 4 - Size: 4-1/2" x 4-1/2" - Corners: Square  
Hinges = Locations: Hinge 1: 7", Hinge 2: 33", Hinge 3: 59", Hinge 4: 85"  
Hinges = Thickness: 0.134" - Backset: 1/4"  
Hinges = Material: Plated Steel  
Hinges = Finish: US15-Satin Nickel

Multipoint Lock = TruStile Installed  
Multipoint Lock = Modified Multipoint Lock  
Multipoint Lock = Brand: GU, Series: Secury Rhino, Model: 6-33935-07-0-8B, Template: 6-33935-07-0-8B, Template Revision: 1/1/2014  
Multipoint Lock = Handle Location - ToD: 60", BoD: 36"

\*\*\*RIGHT SIDELITE\*\*\*

Unit Style = TM6000  
Dimensions = 35 13/16" x 96 21/32"  
Thickness = 1-3/4"  
Material = Paint Grade Mahogany  
Door Construction = TruStile Reserve  
Sticking = SS  
Veneer Thickness = 1/16  
Prefinish = Premium Prime  
Panel Substitution = Replace All Panels with Glass  
Outboard Glass = Clear, With LoE272 Coating  
Inboard Glass = Clear  
Glass Spacer Color = Black  
Drip Trim = Wood  
Drip Trim Material = Paint Grade Mahogany  
Interior Sash Stop Profile = Square



\*\*\*UNIT FRAME\*\*\*

System Layout = ES102  
Frame Assembly = Assembled  
Head/Sill Construction = Continuous  
Frame Type = Single Rabbet  
Wall Depth = 6 9/16"  
Material = Paint Grade Mahogany  
Prefinish = Premium Prime  
Edge Profile = Square  
Weatherstrip Color = Black  
Mull Post = Single Rabbet (Back to Back)  
Mull Post Depth = Wall Depth (6 9/16")  
Sill Type = Oak Adjustable  
Sill Finish = Bronze Anodized Aluminum  
Sill Depth = 7 5/8"  
Vertical Mull Type = None  
Mull Cover Material = Paint Grade Mahogany  
Mull Cover Prefinish = Premium Prime  
Mull Cover Thickness = Inside: 1/4", Outside: 5/8"  
Mull Cover Width (Vertical) = Inside: 1", Outside: 2"  
Mull Cover Reveal = Inside: 1/4", Outside: 1/4"  
Mull Cover Edges = Inside: Square, Outside: Square





\*\*\*\*\*Frame Machining Details\*\*\*\*\*

Jamb Leg Prep = Hinge Prep: Standard Hinge  
Jamb Leg Prep = Multipoint Lock Strike: TruStile Installed - See Template

Line	Label	Qty	UOM	Description	Unit	Extended
2		1	EA	Manufacturer's Freight for	\$0.00	\$0.00
						<b>Tax (6.00%): \$569.20</b>
<b>Total Units:</b>		<b>0</b>				<b>Total: \$10,055.83</b>





Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
ES102			Paint Grade Mahogany	N/A	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TMIR6001	14Kerf	NA	Paint Grade Mahogany	N/A	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		

Hinge Backset: 1/4"  
Hinge Corner: Square  
Hinge Thickness: 0.134"




Outside  
Single




Three Point Lock Brand: GU  
Three Point Lock Series: Secury Rhino  
Three Point Lock Template: 6-33935-07-0-8B  
Template Revision: 1/1/2014  
Handle Location (ToD): 60"  
Handle Location (BoD): 36"

Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TMIR6001	14Kerf	NA	Paint Grade Mahogany	N/A	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TM6000	SS	NA	Paint Grade Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		




Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
Jamb Only				N/A	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		





Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TM6000	SS	NA	Paint Grade Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
Jamb Only				N/A	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		



Door Style	Sticking	Panel	Material	Glass	Fire Rating	Grade
TM6000	SS	NA	Paint Grade Mahogany	3/4" Insulated Unit	Non-Rated	Exterior
Quote #: SQDRQ000368-1				Line #: 1 - DR1-ENTRY		
Ervin Architectural Products				Entered By: David Canton		
Approval (sign here):				Created On: 12/09/2021		