

BLOUNT - ZAHIR DOORS ORIGINAL

Quote #: J4C2NYS

A Proposal for Window and Door Products prepared for:

Shipping Address:

ERVIN ARCHITECTURAL PRODUCTS
1255 CAROLINA RD
SUFFOLK, VA 23434-8729

Project Description:

*DR3/6 MULTI-SLIDE AS SHOWN.
DR9/10 MIN 5'0 WIDE VS SCHED 4'0.
NO SCREENS.*

Featuring products from:



ERVIN ARCHITECTURAL PRODUCTS
PO BOX 2715
VIRGINIA BEACH, VA 23450-2715
Phone: (757) 427-2929

This report was generated on 5/3/2022 1:40:02 PM
using the Marvin Order Management System,
version 0003.14.00 (Current). Price in USD. Unit
availability and price are subject to change. Dealer
terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 12


TOTAL UNIT QTY: 12

LINE	MARK UNIT	PRODUCT LINE	ITEM	QTY
1	DR3	Ultimate	Multi-Slide Door Stacked RO 98 37/64" X 95 7/32" Total RO:	1
2	DR4	Elevate	Inswing French Door RO 37 5/16" X 96"	1
3	DR5	Elevate	Outswing French Door RO 37 5/16" X 96"	1
4	DR6	Ultimate	Multi-Slide Door Stacked RO 98 37/64" X 95 7/32" Total RO:	1
5	DR7	Elevate	Inswing French Door RO 37 5/16" X 96"	1
6	DR9	Elevate	Inswing French Door RO 60" X 82 1/2"	1
7	DR10	Elevate	Inswing French Door RO 60" X 82 1/2"	1
9	DR11	Elevate	Elevate Assembly RO 97 15/16" X 96"	1
10	DR12	Elevate	Inswing French Door RO 64" X 96"	1
12	DR13	Ultimate	Inswing French Door G2 RO 128" X 98 1/2"	1
13	DR14	Elevate	Inswing French Door RO 64" X 82 1/2"	1
14	DR15	Elevate	Inswing French Door RO 64" X 82 1/2"	1

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: DR3			
Qty: 1				



As Viewed From The Exterior

FS 97 37/64" X 94 23/32"

RO 98 37/64" X 95 7/32"

Egress Information

Width: 58 25/64" Height: 90 59/64"


Net Clear Opening: 36.87 SqFt

Stone White Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Multi-Slide Door Stacked - OXX
CN 9080
Rough Opening 98 37/64" X 95 7/32"
Knocked Down
**Panels Ship Separate
Panel 1
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Panel 2
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Panel 3
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Satin Nickel PVD Exterior Flush Handle on Primary Panel
Satin Nickel PVD Interior Flush Handle with Latch on Primary Panel
Bronze Performance Sill
Black Weather Strip
9 13/16" Jamb
Nailing Fin
***Note: Ultimate Multi-Slide Doors are shipped Knocked Down (KD).
***Note: Please reference the Ultimate Multi-Slide Door Site Prep Handbook for construction guidelines.
***Note: Ultimate-Clad units are certified to CN 40100 panel size. Units outside these parameters are not WDMA certified.
***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit: DR4			
Qty: 1				



Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - X Right Hand
CN 3080
Rough Opening 37 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges



No Screen
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jamb
Nailing Fin
***Note: Unit Availability and Price is Subject to Change




As Viewed From The Exterior

FS 36 5/16" X 95 1/2"
RO 37 5/16" X 96"
Egress Information
Width: 31 11/16" Height: 92 17/32"
Net Clear Opening: 20.36 SqFt

Line #3	Mark Unit: DR5			
Qty: 1				

MARVIN 



Stone White Exterior
White Interior
Elevate Outswing French Door X Left Hand
CN 3080
Rough Opening 37 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jamb
Jamb Extension from 4 9/16" to 6 9/16"
Nailing Fin
***Note: Unit Availability and Price is Subject to Change




As Viewed From The Exterior

FS 36 5/16" X 95 1/2"
RO 37 5/16" X 96"
Egress Information
Width: 31 37/64" Height: 92 35/64"
Net Clear Opening: 20.30 SqFt

Line #4	Mark Unit: DR6			
Qty: 1				

MARVIN 

Stone White Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Multi-Slide Door Stacked - XXO
CN 9080
Rough Opening 98 37/64" X 95 7/32"
Knocked Down
**Panels Ship Separate
Panel 1
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon



As Viewed From The Exterior

FS 97 37/64" X 94 23/32"

RO 98 37/64" X 95 7/32"

Egress Information

Width: 58 25/64" Height: 90 59/64"

Net Clear Opening: 36.87 SqFt

Stainless Perimeter Bar
Ogee Interior Glazing Profile
Panel 2
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Panel 3
Stone White Clad Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Satin Nickel PVD Exterior Flush Handle on Primary Panel
Satin Nickel PVD Interior Flush Handle with Latch on Primary Panel
Bronze Performance Sill
Black Weather Strip

9 13/16" Jamb

Nailing Fin

***Note: Ultimate Multi-Slide Doors are shipped Knocked Down (KD).


***Note: Please reference the Ultimate Multi-Slide Door Site Prep Handbook for construction guidelines.

***Note: Ultimate-Clad units are certified to CN 40100 panel size. Units outside these parameters are not WDMA certified.

***Note: Unit Availability and Price is Subject to Change

Line #5	Mark Unit: DR7			
Qty: 1				

MARVIN 



Active



As Viewed From The Exterior

FS 36 5/16" X 95 1/2"

RO 37 5/16" X 96"

Egress Information

Width: 31 11/16" Height: 92 17/32"



Net Clear Opening: 20.36 SqFt

Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - X Left Hand
CN 3080
Rough Opening 37 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
No Screen
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jamb
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #6	Mark Unit: DR9			
Qty: 1				

MARVIN 

Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - XX Left Hand
CN 5068
Rough Opening 60" X 82 1/2"
Left Panel
Stone White Exterior



FS 59" X 82"

RO 60" X 82 1/2"

Egress Information

Width: 52 13/32" Height: 79 1/32"

Net Clear Opening: 28.76 SqFt

White Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless
Rectangular - Special Cut 1W5H
Stone White Ext - White Int
Right Panel
Stone White Exterior
White Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless
Rectangular - Special Cut 1W5H
Stone White Ext - White Int

Multi-Point Lock

Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set

Cambridge Handle Satin Nickel PVD Interior Primary Handle Set

Cambridge Handle Satin Nickel PVD Exterior Secondary Handle Set

Cambridge Handle Satin Nickel PVD Interior Secondary Handle Set

Keyed Alike - Keyed Alike Group 1

Satin Nickel PVD Adjustable Hinges

No Screen

PG Upgrade

Bronze Ultrex Sill / Black Weather Strip

6 9/16" Jambs

Nailing Fin

***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.



***Note: Unit Availability and Price is Subject to Change

Line #7

Mark Unit: DR10

Qty: 1

MARVIN



FS 59" X 82"

RO 60" X 82 1/2"

Egress Information

Width: 52 13/32" Height: 79 1/32"

Net Clear Opening: 28.76 SqFt

Stone White Exterior

White Interior

Elevate Inswing French Door 6 9/16" - XX Left Hand

CN 5068

Rough Opening 60" X 82 1/2"

Left Panel

Stone White Exterior

White Interior

IG

Tempered Low E2 w/Argon

Stainless Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Stainless

Rectangular - Special Cut 1W5H

Stone White Ext - White Int

Right Panel

Stone White Exterior

White Interior

IG

Tempered Low E2 w/Argon

Stainless Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Stainless

Rectangular - Special Cut 1W5H

Stone White Ext - White Int

Multi-Point Lock

Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set

Cambridge Handle Satin Nickel PVD Interior Primary Handle Set

Cambridge Handle Satin Nickel PVD Exterior Secondary Handle Set

Cambridge Handle Satin Nickel PVD Interior Secondary Handle Set

Keyed Alike - Keyed Alike Group 1

Satin Nickel PVD Adjustable Hinges

No Screen

PG Upgrade

Bronze Ultrex Sill / Black Weather Strip

6 9/16" Jambs


Nailing Fin

***Note: Divided lite cut alignment may not be accurately represented in the

OMS drawing. Please consult your local representative for exact specifications.
***Note: Unit Availability and Price is Subject to Change

Line #9	Mark Unit: DR11			
Qty: 1				

MARVIN 



FS 96 15/16" X 95 1/2"

RO 97 15/16" X 96"

Egress Information A1, A2

No Egress Information available.

Egress Information A3

Width: 27 11/16" Height: 92 17/32"

Net Clear Opening: 17.79 SqFt

Stone White Exterior
White Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
97 15/16" X 96"

Unit: A1
Elevate Inswing French Door 6 9/16" - O
CN 2880
Rough Opening 33 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Bronze Ultrex Sill / Black Weather Strip


Unit: A2
Elevate Inswing French Door 6 9/16" - O
CN 2880
Rough Opening 33 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Bronze Ultrex Sill / Black Weather Strip

Unit: A3
Elevate Inswing French Door 6 9/16" - X Left Hand
CN 2880
Rough Opening 33 5/16" X 96"
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
No Screen
Bronze Ultrex Sill / Black Weather Strip
Standard Mull Charge
6 9/16" Jambs
Nailing Fin w/ Certification Brackets
***Note: This configuration is certified to AAMA 450.
***Note: Unit Availability and Price is Subject to Change

Line #10	Mark Unit: DR12			
Qty: 1				

MARVIN 

Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - XO
CN 5480
Rough Opening 64" X 96"
Left Panel
Stone White Exterior
White Interior
IG - 1 Lite




As Viewed From The Exterior

FS 63" X 95 1/2"
RO 64" X 96"
Egress Information
Width: 27 19/32" Height: 91 23/64"
Net Clear Opening: 17.51 SqFt

Tempered Low E2 w/Argon
Stainless Perimeter Bar
Right Panel
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
No Screen
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jambes
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #12	Mark Unit: DR13			
Qty: 1				

MARVIN



As Viewed From The Exterior


FS 127" X 98"
RO 128" X 98 1/2"
Egress Information
Width: 57 3/16" Height: 94 11/32"
Net Clear Opening: 37.47 SqFt


Stone White Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Inswing French Door G2 4 9/16" - OXXO Left Hand
CN 10880
Rough Opening 128" X 98 1/2"
**Operator Panels Ship Separate
Left Panel
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Left Center Panel
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Right Center Panel
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Right Panel
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Traditional Lever(s)
Multi-Point Lock on Active Panel
Satin Nickel PVD Active Exterior Handle Set on Active Panel Keyed
Satin Nickel PVD Active Interior Handle Set on Active Panel
Multi-Point Lock on Inactive Panel
Satin Nickel PVD Inactive Exterior Handle Set on Inactive Panel
Satin Nickel PVD Inactive Interior Handle Set on Inactive Panel
Satin Nickel PVD Adjustable Hinges 3 Per Panel-
Bronze Ultrex Sill
Black Weather Strip

4 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
Skid Plate Applied
***Note: Unit Availability and Price is Subject to Change

Line #13	Mark Unit: DR14			
Qty: 1				

MARVIN 





As Viewed From The Exterior


FS 63" X 82"
RO 64" X 82 1/2"
Egress Information
Width: 27 19/32" Height: 77 55/64"
Net Clear Opening: 14.92 SqFt

Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - XO
CN 5468
Rough Opening 64" X 82 1/2"
Left Panel
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Right Panel
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
No Screen
PG Upgrade
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Line #14	Mark Unit: DR15			
Qty: 1				

MARVIN 




As Viewed From The Exterior

FS 63" X 82"
RO 64" X 82 1/2"
Egress Information
Width: 27 19/32" Height: 77 55/64"
Net Clear Opening: 14.92 SqFt

Stone White Exterior
White Interior
Elevate Inswing French Door 6 9/16" - OX
CN 5468
Rough Opening 64" X 82 1/2"
Left Panel
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Right Panel
Stone White Exterior
White Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Multi-Point Lock
Cambridge Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
Cambridge Handle Satin Nickel PVD Interior Primary Handle Set
Keyed Alike - Keyed Alike Group 1
Satin Nickel PVD Adjustable Hinges
No Screen
PG Upgrade
Bronze Ultrex Sill / Black Weather Strip
6 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Contact your Marvin inside service representative for Sliding Door Automatic Control installation pricing.

Sliding Door Automatic Control may not be suitable for corner posts, 90 degree corner units or concrete block applications. The motorized solution requires a minimum of 12 inches between studs for mounting. Please refer to Marvin's site prep guide for additional details.

Door Sill Limitations

Performance Sill -



WDMA certification is limited to clad units up to CN 40100 panel size. Determining the suitability of these products for use in connection with any building design or design elements (such as appropriate overhangs) and site - specific environmental conditions is the responsibility of the architect, designer, or other building professionals.
