

## Quote Form



ERVIN MOULDING & TRIM COMPANY  
1364 LONDON BRIDGE ROAD  
VIRGINIA BEACH VA 23439  
757-427-2929



### Project Information (ID #6102196 Revision #9540779)

[Hide](#)

**Project Name:** ENVIRO-TECH - BROWN RESIDENCE

**Quote Date:** 05/13/2022

**Customer:**

**Submitted Date:** 05/16/2022

**Contact Name:**

**PO#:**

**Phone (Main):**

**Sales Rep Name**

**Phone (Cell):**

**Customer Type:**

**Terms:**

### Delivery Information

[Hide](#)

**Shipping Contact:**

**Comments:**

**Shipping Address:**

**City:**

**State:**

**Zip:**


### Unit Detail

[Hide All Configuration Options](#)

Item: 0001: Ext 72" x 80" S1201-GBGFWLE LHI 6 9/16" On-Guard Primed

Location: DR1 - ENTRY


Quantity: 1



Smooth Star 72"x80" Double Door

2,151.50

### Configuration Options [Hide](#)



EXTERIOR  
Left-Hand Inswing  
Active

EXT Double Door 72" x 80" S1201-GBGFWLE (GBG),  
Therma-Tru White Coastal Aluminum , 6 9/16" On-  
Guard Primed, Left Hand Inswing, Brushed Nickel Ball  
Bearing Hinges, Mill Finish w Light Cap Composite  
Adjustable Sill, Bronze Compression Weatherstripping,  
Double Lock Bore 2-3/4" Backset Bore

Rough Opening: 75 1/4" x 82 1/2"

Total Unit: 74 9/16" x 82"(Includes Exterior Casing)

**Item Total: \$ 2,151.50**

**Item Quantity Total: \$ 2,151.50**

Item: 0002: SMOOTH-STAR S/L| 2'0"x6'8" ,[H]| DOORT SS 2068 FLUSH NO BORE| S/O- TT -  
DLNONSTOCK ...

Location: DR2 - ENTRY  
SIDE

Quantity:  
2

SMOOTH-STAR S/L| 2'0"x6'8" ,[H]| DOORT SS 2068 FLUSH NO BORE| S/O- TT -  
DLNONSTOCK ...

931.46




### Configuration Options [Hide](#)

SMOOTH-STAR S/L 2'0"x6'8" ,[H] DOORT SS 2068 FLUSH  
 NO BORE S/O- TT - DLNONSTOCK SP-DWSS-0764-CE-  
 2W2HF1W-1 7" X 64" FULL LITE 4 LITE (2W2H) LOW E IG  
 FLAT WHITE GBG SS WHITE SURROUNDS ! TO MAKE A  
 2/0 X 6/8 FULL LITE 4 LT WITH FLAT WHITE GBG ! -6-  
 9/16" ON-GUARD SMOOTH PRIMED JAMB SIDELITE  
 ONLY, INSWING -ADJUSTABLE COMPOSITE SILL MILL -  
 BRONZE COMP WEATHER STRIP -NO BRICKMOLD  
 ,STATIONARY -DOOR# ! DR2 ENTRY SIDE !

Item Total: \$ 931.46


Item Quantity Total: \$ 1,862.92

Item: 0003: Ext 36" x 96" S8322-GBGFWLE RHI 6 9/16" On-Guard Primed	Location: DR5 - GARAGE MAN DOOR	Quantity: 1
Smooth Star 36"x96" Single Door		1,501.50



### Configuration Options [Hide](#)

EXT Single Door 36" x 96" S8322-GBGFWLE (GBG), 6  
 9/16" On-Guard Primed, Right Hand Inswing, Brushed  
 Nickel Ball Bearing Hinges, Mill Finish w Light Cap  
 Composite Adjustable Sill, Bronze Compression  
 Weatherstripping, Double Lock Bore 2-3/4" Backset  
 Bore, Strike Prep





Rough Opening: 38 1/2" x 98 1/2"

Total Unit: 37 5/8" x 98" (Includes Exterior Casing)

Item Total: \$ 1,501.50

Item Quantity Total: \$ 1,501.50

Item: 0004: Ext 36" x 96" S8322-GBGFWLE LHI 6 9/16" On-Guard Primed	Location: DR6 - GARAGE MAN DOOR	Quantity: 1
Smooth Star 36"x96" Single Door		1,501.50




**Configuration Options** [Hide](#)

EXT Single Door 36" x 96" S8322-GBGFWLE (GBG), 6 9/16" On-Guard Primed, Left Hand Inswing, Brushed Nickel Ball Bearing Hinges, Mill Finish w Light Cap Composite Adjustable Sill, Bronze Compression Weatherstripping, Double Lock Bore 2-3/4" Backset Bore, Strike Prep

Rough Opening: 38 1/2" x 98 1/2"  
Total Unit: 37 5/8" x 98"(Includes Exterior Casing)

Item Total: \$ 1,501.50  
Item Quantity Total: \$ 1,501.50

Item: 0005: Ext 32" x 96" S8322-GBGFWLE LHI 6 9/16" On-Guard Primed	Location: DR4 - GARAGE MUD	Quantity: 1
Smooth Star 32"x96" Single Door		1,501.50



**Configuration Options** [Hide](#)

EXT Single Door 32" x 96" S8322-GBGFWLE (GBG), 6 9/16" On-Guard Primed, Left Hand Inswing, Brushed Nickel Ball Bearing Hinges, Mill Finish w Light Cap Composite Adjustable Sill, Bronze Compression Weatherstripping, Double Lock Bore 2-3/8" Backset Bore, Strike Prep

Rough Opening: 34 1/2" x 98 1/2"  
Total Unit: 33 5/8" x 98"(Includes Exterior Casing)

Item Total: \$ 1,501.50  
Item Quantity Total: \$ 1,501.50

Item: 0006: SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...	Location: DR7 - LAUNDRY	Quantity: 1
---	-------------------------	-------------




SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...	1,747.20
---	----------

**Configuration Options** [Hide](#)  
SMOOTH-STAR 3'0"x8'0" ,[H] DOOR SS 3080 FLUSH NO  
BORE S/O- TT - DLNONSTOCK SP-DWSS-2280-CE-  
2W2HF1W-1 22" X 80" FULL LITE 4 LT (2W2H) LOW E IG  
FLAT WHITE GBG SS WHITE SURROUNDS ! TO MAKE A  
3/0 X 8/0 FULL LITE 4 LT (2W2H) WITH FLAT WHITE GBG  
! -6-9/16" ON-GUARD SMOOTH PRIMED JAMB, INSWING  
RIGHT HAND -ADJUSTABLE COMPOSITE SILL MILL ,TD  
INSWING SILL COVER APPLIED -BALL BEARING HINGE  
BRUSHED NICKEL [SELF ALIGNING] -BRONZE COMP  
WEATHER STRIP -NO BRICKMOLD -DOUBLE BORE WITH  
DB STRIKE PREP (DBMNS) ,2 3/4 - 2 1/8 -DOOR# ! DR7 -  
LAUNDRY !

LEAD TIME UNKNOWN FOR THIS PRODUCT

Item Total: \$ 1,747.20  
Item Quantity Total: \$ 1,747.20

Item: 0008: SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...		Location: DR8 - FROG KITCHEN	Quantity: 1
	SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...		1,747.20

**Configuration Options** [Hide](#)  
SMOOTH-STAR 3'0"x8'0" ,[H] DOOR SS 3080 FLUSH NO  
BORE S/O- TT - DLNONSTOCK SP-DWSS-2280-CE-  
2W2HF1W-1 22" X 80" FULL LITE 4 LT (2W2H) LOW E IG  
FLAT WHITE GBG SS WHITE SURROUNDS ! TO MAKE A  
3/0 X 8/0 FULL LITE 4 LT (2W2H) FLAT WHITE GBG ! -6-  
9/16" ON-GUARD SMOOTH PRIMED JAMB, INSWING  
RIGHT HAND -ADJUSTABLE COMPOSITE SILL MILL ,TD  
INSWING SILL COVER APPLIED -BALL BEARING HINGE  
BRUSHED NICKEL [SELF ALIGNING] -BRONZE COMP  
WEATHER STRIP -NO BRICKMOLD -DOUBLE BORE WITH  
DB STRIKE PREP (DBMNS) ,2 3/4 - 2 1/8 -DOOR# ! DR8 -  
FROG KITCHEN !

LEAD TIME UNKNOWN FOR THIS PRODUCT

Item Total: \$ 1,747.20  
Item Quantity Total: \$ 1,747.20

Unit Summary <a href="#">Hide</a>			
Item Description	Quantity	Unit Price	Total Price
<a href="#">0001</a> Ext 72" x 80" S1201-GBGFWLE LHI 6 9/16" On-Guard Primed	1	\$	\$

5/17/22, 5:35 PM	m2o Quote Form				2,151.502,151.50
<a href="#">0002</a>	SMOOTH-STAR S/L  2'0"x6'8" ,[H]  DOORT SS 2068 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...	2	\$ 931.46	\$	
					1,862.92
<a href="#">0003</a>	Ext 36" x 96" S8322-GBGFWLE RHI 6 9/16" On-Guard Primed	1	\$	\$	
					1,501.501,501.50
<a href="#">0004</a>	Ext 36" x 96" S8322-GBGFWLE LHI 6 9/16" On-Guard Primed	1	\$	\$	
					1,501.501,501.50
<a href="#">0005</a>	Ext 32" x 96" S8322-GBGFWLE LHI 6 9/16" On-Guard Primed	1	\$	\$	
					1,501.501,501.50
<a href="#">0006</a>	SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...	1	\$	\$	
					1,747.201,747.20
<a href="#">0008</a>	SMOOTH-STAR  3'0"x8'0" ,[H]  DOOR SS 3080 FLUSH NO BORE  S/O- TT - DLNONSTOCK ...	1	\$	\$	
					1,747.201,747.20

SUBMITTED BY:		SUBTOTAL:	\$ 12,013.32
ACCEPTED BY:		TAXES (6 %):	\$ 720.80
DATE:		GRAND TOTAL:	\$ 12,734.12

Additional Information:

I understand that this order will be placed according to these specifications and is non-refundable.

All products are unfinished unless otherwise specified and should be finished as per the instructions provided by the manufacturer.

Images on this quote should be considered a representation of the product and may vary with respect to color, actual finish options and decorative glass privacy ratings. Please verify with sales associate before purchasing.

Unless otherwise noted, prices are subject to change without notice, and orders accepted subject to prices in effect at time of shipment. Prices in this catalog apply only to sizes and descriptions listed; any other specifications will be considered special and invoiced as such.

• Installation Option - \$ 2,480.00

- INSTALLATION OF DOOR UNITS AS LISTED IN QUOTE ABOVE; ALL UNITS SHALL BE INSTALLED AS PER MANUFACTURERS WRITTEN INSTRUCTIONS AND BY FACTORY TRAINED / INSTALLATION MASTERS CERTIFIED INSTALLERS, METHOD "A1" INSTALLATION. ALL FLASHING MATERIALS INCLUDED COMPLY WITH ASTM E2112-01, SECTION 5.13. (6" BUTYL FLASHING TAPE & FLEX TAPE SILLS, CAULK, LOW EXPANSION FOAM, SHIMS & FASTENERS).
- ANY ALTERATION TO OPENINGS NEEDED TO ALLOW FOR PROPER INSTALLATION OF WINDOW/DOOR PRODUCTS WILL BE HANDLED ON A TIME AND MATERIALS BASIS WITH PRIOR APPROVAL FROM GC.
- INSTALLERS SHALL CLEAN UP AND DISPOSE OF INSTALLATON RELATED DEBRIS (GC PROVIDED DUMPSTER).

Buyer: \_\_\_\_\_